


What is claimed is:

1. Use, as a UV filter, of a compound of formula



R_1 and R_2 are each independently of the other hydrogen; unsubstituted or halo-, amino-, mono- or di- C_1 - C_5 alkylamino-, cyano- or C_1 - C_5 alkoxy-substituted C_1 - C_{22} alkyl, C_5 - C_{10} cycloalkyl, carboxy- C_1 - C_{22} alkyl, carboxy- C_6 - C_{10} aryl, C_6 - C_{10} aryl, C_6 - C_{10} aryl- C_1 - C_5 alkyl; carbamoyl; or sulfamoyl; or

R_1 and R_2 , together with the nitrogen atom linking them, form a 5- to 7-membered heterocyclic radical; and

R_3 is hydrogen; or C_1 - C_{22} alkyl; and

R_4 is hydrogen; hydroxy; C_1 - C_{22} alkyl; or C_1 - C_{22} alkoxy;
as a UV filter.

2. Use according to claim 1, wherein

R_4 is hydrogen.

3. Use according to either claim 1 or claim 2, wherein

R_1 and R_2 are each independently of the other hydrogen; or C_1 - C_{12} alkyl unsubstituted or substituted by halogen, amino, mono- or di- C_1 - C_5 alkylamino, cyano or by C_1 - C_5 alkoxy;
and

R_3 is hydrogen; or C_1 - C_5 alkyl.

4. Use according to either claim 1 or claim 2, wherein

R_1 and R_2 are each independently of the other hydrogen; or C_1 - C_{12} alkyl; or

R_1 and R_2 together form a 5- to 7-membered heterocyclic radical; and

R_3 is hydrogen; or C_1 - C_5 alkyl.

5. Use according to any one of claims 1 to 4, wherein

R_1 is hydrogen;

R_2 is C_1 - C_{12} alkyl; and

R_3 is hydrogen; or C_1 - C_5 alkyl.

6. Use according to claim 5, wherein

R_2 is branched or unbranched C_6 - C_{12} alkyl.


7. Use according to claim 6, wherein

R_2 is n-hexyl; n-octyl; or 2-ethylhexyl.

8. Use according to either claim 1, wherein

R_4 is hydroxy.


9. A process for the preparation of a compound of formula (1) according to claim 1 wherein R_1 is hydrogen, in which process R_3 -substituted 2-(4-aminophenyl)-benzothiazole is alkylated with the appropriate haloalkane/haloaralkane (R_2 -Hal) using a base, in accordance with the following Scheme



wherein

R_2 and R_3 and R_4 are as defined in claim 1.

10. A process for the preparation of a compound of formula (1) according to claim 1 wherein R_1 and R_2 are alkyl, in which process 2-(4-aminophenyl)-benzothiazole is alkylated with the appropriate haloalkanes/haloaralkanes (R_1 -Hal and R_2 -Hal) using a base, in accordance with the following Scheme:




wherein

R_1 , R_2 and R_3 and R_4 are as defined in claim 1.

11. Use of a compound of formula (1) according to claim 1 for protecting human and animal hair and skin from UV radiation.
12. Use according to claim 11, wherein the compound of formula (1) is present in micronised form.
13. A cosmetic preparation comprising at least one compound of formula (1) according to claim 1 together with cosmetically acceptable carriers or adjuvants.
14. A preparation according to claim 13, which comprises further UV protection substances.
15. A preparation according to claim 14, which comprises, one or more UV protection substances selected from triazines, oxanilides, triazoles, vinyl-group-containing amides and cinnamic acid amides.

16. A compound of formula



- R'_1 is hydrogen; unsubstituted or halo-, amino-, mono- or di- C_1 - C_5 alkylamino-, cyano- or C_1 - C_5 alkoxy-substituted C_1 - C_{22} alkyl; carboxy- C_1 - C_{22} alkyl; carboxy- C_6 - C_{10} aryl; C_6 - C_{10} aryl; or C_6 - C_{10} aryl- C_1 - C_5 alkyl; carbamoyl; or sulfamoyl;
- R'_2 is C_5 - C_{22} alkyl unsubstituted or substituted by halogen, amino, mono- or di- C_1 - C_5 alkyl-amino, cyano or by C_1 - C_5 alkoxy;
- R'_3 is hydrogen; or C_1 - C_{22} alkyl; and
- R'_4 is hydrogen; C_1 - C_{22} alkyl; or C_1 - C_{22} alkoxy.